

WATER HEATER PERMIT Application

BA#: _____
Inspector: _____

This application must be completed (All requirements shall be adhered to).			Permit fee \$50.00
Job Address		Construction Cost	
<u>Owners Information</u>			
Name			
Street Address		City/State	Zip
Phone Number		Work Phone Number	
<u>Plumbing Contractors Information</u>			
Name			
Street Address		City/State	Zip
Phone Number	Contractor State License #		State License Expires
<u>Additional Contractor Information</u>			
Name			Phone Number
Street Address		City/State	Zip
Registration Number	Registration Number Expires	Jurisdiction	

I hereby certify that I have read and examined this application and that all statements and information provided are correct; and further certify that I am the Owner of the property, and agree that all work will be performed in compliance with the terms of this permit, approved construction documents, and all applicable Village code requirements.

As owner, I authorize (please print name of authorized agent) _____

To submit this application and to act on my behalf in regard to this application and any permit issued pursuant to this application.


Owner's Signature

Date

As authorized by the owner of the property, for which this permit is being requested, I hereby accept the responsibilities of the owner as set forth above.

Authorized Agent Signature

Date



Community Development
1000 Civic Center Drive
Niles, Illinois 60714



Telephone: 847-588-8040
Fax: 847-588-8050

Water Heater Application

WATER HEATER PERMIT CONDITIONS

- All gas piping shall have an easily accessible gas valve tied in with a union and a drip leg.
- A full port (3/4" valve) must be located on the cold water side. No valves are allowed on the hot water side.
- A water heater must be tied in with unions. If dissimilar metals use dielectric unions.
- All soldering must be done with a lead free solder.
- A relief valve pipe or tube shall be of full size (3/4") and extend to 6" inches above floor, and discharge to a suitable drain.
- All flue pipe shall have three screws at each joint. The draft diverter shall also be screwed down. The contractor shall certify that the existing flue or B-vent is in good condition.
- If water heater is located in a closet or other enclosed space, the space must be ventilated. There shall be 2 vents, 1 at the top and the other at the bottom, both shall be a minimum of 100 square inches each.
- All water heaters shall be installed in accordance with the Illinois State Plumbing Code, and per manufactures specifications. Clearances to combustible materials will be strictly enforced.

If you have any questions regarding any of the above conditions, please contact the Building Department.
Plumbing Inspector (847)588-8063

REQUIRED INSPECTIONS: **Final Inspection**