

SWIMMING POOL PERMIT CONDITIONS

***A COMPLETED PERMIT APPLICATION SHALL BE SUBMITTED ALONG WITH ALL ITEMS IN BOLD**

It is recommended to set up an on-site meeting with inspectors before submitting for permit.

The 2018 ISPSC shall apply

- **Pool & equipment shall be located a minimum of 6' from all lot lines and 3' from any structures and out of any easements.**
- Water supply to the pool shall be protected with a back flow preventer installed on the hose bib.
- A minimum 4' barrier around pool is required. (If pool wall is 4' above grade this meets the requirement, as long as ladder is removable when pool is not in use).
- Skilled swimmer shall be present at all times when pool is in use.
- Must provide 1 strong pole with Shepard's hook not less than 12' in length.
- Must provide a throwing ring no less than 15" in diameter with a minimum of 60' of rope attached

ELECTRICAL REQUIREMENTS:

- 2017 National Electrical Code shall apply
- **Overhead conductors shall be a minimum of 10' horizontal from waters edge (show location).**
- **Underground conductors shall be a minimum of 5' horizontal from waters edge (show location).**
- All receptacles on property shall be a minimum of 10' from waters edge, (except for pump outlet).
- Receptacle serving the pool pump shall be located between 5' & 10' from waters edge and be a single outlet that is a locking type. (Pump cord length shall not exceed 3' and have a locking plug).
- Receptacles installed for pool use shall be installed 18" above grade and permanently secured.
- Receptacles located within 20' of waters edge shall be GFCI protected and installed in waterproof enclosures.
- All electrical equipment shall be properly grounded.
- All electrical wiring shall be run underground in rigid galvanized conduit buried a minimum of 6" deep, or in rigid non metallic conduit 18" deep (show location).

ALL JOB SITE DUMPSTERS MUST BE FROM GROOT

800-244-1977

For any questions concerning the installation of a swimming pool please contact the building department.

John Montejo (847) 588-8067 Building Inspector jpm@vniles.com

REQUIRED INSPECTIONS:

- Final inspection before covering any electric or using the pool.

Swimming Pool PERMIT INFORMATION

*ALL JOB SITE DUMPSTERS MUST BE FROM GROOT

	Numbers to Know	
• Garage Sale	• J.U.L.I.E.	811
• Temporary Banners	• GROOT (dumpsters)	800-244-1977
• Water Heaters	• Building Department	847-588-8040
• Roof (Residential)	• Zoning Questions	847-588-8075
• Windows	• Permit Technician	847-588-8048
• Patio / Driveway / Sidewalk	• Electrical Inspector	847-588-8067
• Air Conditioner	• Plumbing Inspector	847-588-8068
• Sewer repair	• Mechanical Inspector	847-588-8068
• Shed	• Roofs/ Fences/ Concrete	847-588-8064
• Furnace	• Fire Code Inspector	847-588-8069
	• Health Inspector	224-257-0774
	• Framing Inspector	847-588-8067
	• Engineering Dept.	847-588-7900
	• Public Works	847-588-7900
	• Water Dept.	847-588-7900
	• Police / Fire	911

EXPRESS PERMITS

- Garage Sale
- Temporary Banners
- Water Heaters
- Roof (Residential)
- Windows
- Patio / Driveway / Sidewalk
- Air Conditioner
- Sewer repair
- Shed
- Furnace

STANDARD REVIEW

The Village of Niles prides itself on having a very quick review process. Most permits of a normal size job will be reviewed by all trades within 10 business days of submittal. Please keep in mind what slows down the review process is incomplete applications, wrong phone numbers, and missing requirements. Please review this informational pamphlet in detail before submitting your application.



Community Development PERMITS Made EASY

Village of Niles Website
WWW.VNILES.COM